1325 CNC router machine for Stone marble Jade granite tombstone acrylic wood metal etc



Stone Engraving Machine DA1325M

Model	DA1325M
Working Size	1300×2500×400mm
Frame	Welded Structure
Guide Rails	Square Rails Hiwin 25mm
Transmission	X Y Rack gears Z TBI Ball screw
Motor	Stepper motor & driver (Optional servo motor)
Cabinet	Independent Computer Cabinet
Control system	NC-Studio / A11 Panel
Moving Speed	Max 20м / min
Engraving Speed	Max 15м / min

Spindle	5.5KW water cooling
Spindle speed	6000-24000 rpm
Table	Aluminum T-slot
Lubrication	Centralized Lubrication
Software	Type3 / ARTCAM/ Ucancam
Working Voltage	380V ±10%, 50Hz/60Hz

Features:

1. DA1325M is stone engraving CNC Machine with heavy duty design,welded with thickened square tube T-bed, strong and durable, 3 axis with dust proof, water tank with water cooling sprayer for cooling when working, Hiwin 25mm square rail and high speeding motor & driver, the machine has big loading capacity,stable operation, and longer time working; 2. Professional NC-Studio / Richauto Panel control system, water cooling spindle 5.5KW, long working life, low noise, strong cutting ability; 3. Two-way tool cooling system can effectively improve tool life; 4. Wheels on the front of the table make the load heavy stone easy; 5. Electronic control components from famous brand in China such as CHNT / DELIXI company. 6. Auto Oil-filling System for gularly maintenance (lubricating) is so convenient. 7. Software compatibility is good and can be compatible with many kinds of CAD/CAM design software such Typ3/Artcam. Applications Applicable to stone industry, stone tablet processing industry, art relief, advertising industry, decoration and decoration industry, ceramics industry. Applicable materials:Marble, granite, jade, bluestone, Blackstone and other stone materials, as well as ceramics, glass, plexiglass, PVC board, aluminium-plastic board, bamboo and wood materials.







Servo driver

Tool sensor

Water proof spindle







Strong body

Lubrication

OMYHG switch







Chain

Rotary

DELEXI switch



